WE ARE LIGHT













RESIDENTIAL & MAIN ROAD LANTERNS


BENTO S


No. of LED's: 12, 24

Lumen Output: 2,340 – 12,750

0% ULOR (ALL)








BENTO M


No. of LED's: 24, 48

Lumen Output: 4,680 – 25,500

0% ULOR (ALL)








TEKKS


No. of LED's: 12, 24, 32

Lumen Output: 1,175 – 11,350

0% ULOR (ALL)








TEKK M


No. of LED's: 16, 32, 48, 64

Lumen Output: 2,350 – 22,700

0% ULOR (ALL)





















Connecting cities, communites and liv

TRADITIONAL / DECORATIVE LANTERNS


JOYAU 6400


No. of LED's: 8, 12, 16, 32, 48

Lumen Output: 1,187 – 13,805

0% ULOR (ALL)








POLYA 6600


No. of LED's: 8, 12, 16, 32, 48

Lumen Output: 1,187 – 13,805

0% ULOR (ALL)








VICTOR 4 sided


No. of LED's: 12, 24, 36

Lumen Output: 975 – 14,734

0% ULOR (Subject to optic)







WE ARE LIGHT













FLOODLIGHTS

ARROW FLE 30


Optic: Various


Power: 30W

Lumen Output: 3,640

0% ULOR (Subject to tilt)







MFL 150


Optic: Various


Power: 50W – 1200W

Lumen Output: 6,760 – 212,990

0% ULOR (ALL) (Subject to tilt)







KFL 12

STIRRUP OR WALL MOUNTED


Optic: 65 x 55 Asymmetric

Power: 12W


Lumen Output: 520

0% ULOR (Subject to tilt)







Polar Diagram C7EMG0458 3000K



KFL 12 STIRRUP MOUNT





KFL-12 WALL MOUNT



KFL 12 WALL MOUNT

WE ARE LIGHT














BOLLARDS


VESUVIUS MAXI

Power: 12W, 25W

0% ULOR







PEAK WALL MOUNTED POWERPACK


Power: 9W, 25W, 37W


Lumen Output: 1,100 – 4,450

Options: PIR & Photocell

0% ULOR







DARK SKY III

Power: 10W, 20W, 30W

Lumen Output: 1,030 – 3,080

Options: PIR & Photocell

0% ULOR (ALL)



